



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 04, 2024**

**Central NL Regional Health Care Centre
50 Union Street, Grand Falls-Windsor, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf*

Inspection Type and Date	Compliance Item Type	Code - Description	Observations and Corrective Actions
Food - Routine Inspection Dec 03, 2024	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	Blast chiller not working during inspection, leaking water on floor. Must be repaired
Food - Annual Inspection Jun 11, 2024		Compliant at the time of this inspection	
Food - Routine Inspection Mar 13, 2024		Compliant at the time of this inspection	
Food - Routine Inspection Jan 29, 2024	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	broken lid of dry good rolling storage container to be repaired/replaced. Please keep covered at all times Garland - bottom "double oven/warmer" door broken must be repaired.
Food - Routine Inspection Sep 28, 2023		Compliant at the time of this inspection	
Food - Annual Inspection Jun 19, 2023		Compliant at the time of this inspection	



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 04, 2024**

**Central NL Regional Health Care Centre
50 Union Street, Grand Falls-Windsor, NL**

Yearly Operation

For additional information on the Inspection process, please see:

http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item Type Code - Description	Observations and Corrective Actions
Food - Routine Inspection Mar 13, 2023	Compliant at the time of this inspection	
Food - Routine Inspection Dec 13, 2022	Compliant at the time of this inspection	